


2-POST ELECTROMECHANICAL SCREW LIFT 4 TON 4EC0540

December 2023



4 ton clear floor 2-post lift



The best price/performance ratio.

- Maximum stability: High-quality sliders to ensure the stability of the carriages.



Technical data

With between columns	2800 mm
Load capacity	4000 Kg
Minimum height	100 mm
Lifting height	2020 mm
Lifting time	45"
Arm length (min-max)	620-1250 mm 860-1440 mm
Overall width	3300 mm
Columns height (including top bridge)	4430 mm
Motor	3 phase 230/400 V 50/60 Hz. · 2 x 3 KW



A	B	H	HT	M	R1	R2	R3	R4
3300	2800	2020	4430	100	620	1250	860	1440

ACCESSORIES




High efficiency
3kw motors

- New columns with thicker steel
- New safety and work nuts
- New bearings
- New reinforced carriages



Increase accuracy, avoid friction and improve wear behaviour with our Patented VULKOLLAN lifting pads.





SPAIN

Parque Industrial Ciudad de Carlet
C/ Camino del Carrasqueral, Nº 6
46240 Carlet - Valencia (SPAIN)
T(+34)962543073-**Fx**(+34)962543074
EMAIL comercial-sat@velyen.com

MÉXICO

Boulevard Córdoba - Fortín Km 335
94540 Córdoba - Veracruz (México)
T (+52) 2717165599
EMAIL director@velyen.com.mx

UK

1, Southgate Industrial Park, Green Ln
Heywood OL10 1ND
T +44 (0)1706 563007
EMAIL export.b@velyen.com
WEB www.velyen.co.uk